## City of Liberty Lake Development Code Proposed 2007 Amendments List

Initiated By / File #	Chapter / Section	Proposed Amendment	Page #
P&CD Staff / File # ZTA-07-0001	Article 10-1C, Definitions	<ul> <li>Add: Forecast         Forecast - the future that is considered         most likely to occur.</li> <li>Add: Projection         Projection - a conditional statement about         the future based on a set of assumptions.</li> </ul>	1-20 & 1-37
	City Planning Commission	n Recommendation - Approval of Amendment ZTA-0	7-0001
		tion - Approval of Amendment ZTA-07-0001	
P&CD Staff / File # ZTA-07-0022	(M-1) - Section 10-2E-6(D), (M-2) - Section 10-2F-6(D), (M-3) - Section 10-2G-6(D), Development Setbacks	D. Setback Exceptions Eaves, chimneys, bay windows, overhangs, cornices, awnings, canopies, porches, decks, pergolas, and similar architectural features may encroach into setbacks by no more than 5 feet, subject to compliance with applicable standards of the Uniform Building Code and Uniform Fire Code. Walls and fences may be placed on property lines, subject to the standards in Section 10- 3C-5 - Landscaping and Fences and Walls. Walls and fences within front yards shall additionally comply with the vision clearance standards in Section 10-3B-2, subsection N. P&CD has the discretion to allow an increase in the maximum setback for public safety facility access.	2-77 2-104 2-133
	City Planning Commission	n Recommendation - Approval of Amendment ZTA-0	7-0022
	P&CD Staff Recommenda	tion - Approval of Amendment ZTA-07-0022	
P&CD Staff / File # ZTA-07-0017	(R-1) - Section 10-2B-7, (R-2) - Section 10-2C-7, (R-3) - Section 10-2D-7, (M-1) - Section 10-2E-7, (M-2) - Section 10-2F-7, (M-3) - Section 10-2G-7, Lot Area, Dimensions, Coverage, & Residential Density	Add: Subsection D     D. Exception. The minimum net density standards above may not apply when physical constraints (e.g., topography) prevent construction in conformance with the standards, as determined by P&CD.	2-17 2-37 2-58 2-78 2-105 2-134
	City Planning Commission	n Recommendation - Approval of Amendment ZTA-0	7-0017
	P&CD Staff Recommenda	tion - Approval of Amendment ZTA-07-0017	
City Council Community Development Subcom./ File # ZTA-07-0024	Article 10-2M, Specific Area Plan Overlay (SAP)	10-2M-1 Purpose 10-2M-2 Specific Area Plan Maps 10-2M-3 Specific Area Plan Text Specific Area Plan Overlay District ordinances shall set forth the following provisions and standards:	2-211 to 2-214

- A. Name and Purpose of Overlay District. This section shall describe the overlay district in sufficient detail as to clarify the purpose and intent of the overlay district regulations.
- B. <u>Implementation</u>. This section shall describe the required land use application process for development within the overlay district, including any modifications to the procedures in Chapter 4 (e.g., Type I or Type II application versus Type III, etc.).

This section shall also reference intergovernmental agreements that apply to the plan area (i.e., when part of the plan area lies outside of the City, within an unincorporated area).

- C. Land Use & Development Standards. This section shall specify the City Development Code requirements that will be applicable or tailored to the SAP (based on Ch.1, Ch.2, Ch.3, and Ch.6)do the following:
  - 1. Definitions

Specify any definitions not included in the City Development Code or that will differ from the City Development Code for the SAP. Specify any required land use conditions (i.e., land use mix, density, buffering, etc.).

## 2. Land Uses

Identify permitted and prohibited land uses, and uses with special requirements or review procedures (i.e., site design review, conditional use, etc.).

- 3. Accessory Structures
  Identify whether or not accessory
  structures will be permitted and if they
  are permitted, what the height and
  other standards will be.
- 4. Development Setbacks
  Identify required building setbacks for
  front, side, rear, and flanking yards, as
  well as setback exceptions and special
  yards, as applicable.
- 53. Lot Area, Dimensions, Coverage, & Residential Density
  Identify minimum / maximum lot area, minimum / maximum lot width & depth, minimum lot coverage, and minimum / maximum residential density let standards, including requirements for new lots, such as lot area, dimensions, and density, as applicable.
- 6. Building Height
  Identify the building height standards
  and method of measurement.

- 7. Building Orientation
  Identify the building orientation
  standards for interior and corner lots,
  as well as specific use, as applicable.
- 8. Architectural Guidelines and Special Standards
- Identify the overall detailed design and human scale components as well as components for specific uses, along with permitted / prohibited building materials (roof, siding, and detailing) and permitted / prohibited colors, as applicable.
- 9. Pedestrian and Transit Amenities
  Identify the pedestrian and transit
  amenities that will be incorporated into
  the SAP site and/or specific buildings,
  as applicable.
- 10. Identify any portion of the SAP that is proposed to be different from the requirements of Chapter 3 (i.e. parking, landscaping, lighting standards, etc.), as applicable.
- 11. Identify if any portion of the site contains Critical Areas and any SAP standards that are proposed to be different from the requirements of Chapter 6, as applicable.
- 4. Identify required building setbacks for front, side, rear, and flanking yards, as applicable.
- 5. The design standards of Chapters 2 and 3 will be used to review Specific Area Plan Overlay proposals.

The criteria in Section 10-2M-4 shall be used in creating land use and development standards.

## D. Additional Information

- 1. All SAP applications must include an analysis of the number of dwelling units permitted under the original (pre-SAP) zoning. Although it is not possible to compute a concrete, single figure, this analysis will make estimates, based on reasonable assumptions about open space percentage, street coverage percentage, etc.
- 2. All SAP applications must include a binding minimum and maximum number of dwelling units that the SAP will include. These numbers may be higher or lower than the number of dwelling units contemplated under the original zoning.
- 3. All SAP applications must include the proposed amount of open space (i.e. maintained parks, natural areas, etc.)

## 10-2M-4 Criteria for Establishing Specific Area Plan Overlay Districts

 The adoption of the Specific Area Plan Overlay District ordinance shall conform to the following standards and procedures:

A. Comprehensive Plan Amendment and/or Zoning District Change Required. Specific Area Plan Overlay Districts are adopted by ordinance as an amendment to both the Comprehensive Plan and Chapter 2 (Zoning Districts) of this code: except that only a zoning district change shall be required when the specific area plan is consistent with the Comprehensive Plan. Specific area plans that cover unincorporated areas within the UGA shall also require amendment to Spokane County's Comprehensive Plan and/or Zoning and shall comply with the Countywide Planning Policies for joint planning.

B. <u>Specific Area Plan Overlay District</u> Criteria.

Specific Area Plan Overlay Districts shall meet the following minimum standards for adoption, in addition to the amendment criteria in Article 10-4F:

- 1. Specific Area. The overlay district is necessary to provide land use or development standards tailored to a specific geographic area and development program, that cannot otherwise be provided through conventional zoning.
- 2. Land Use Compatibility. The overlay district provides equal or greater compatibility with surrounding land uses than what would likely occur with conventional zoning.
- 3. Critical Areas. The overlay district provides equal or greater protection to critical areas than what would likely occur with conventional zoning.
- 4. Efficient Land Use. The overlay district promotes efficient land use by allowing housing and commercial development at densities that are equal to or greater than the densities that would be allowed with conventional zoning. The overlay district may provide for density transfers or transferable development rights as a method of providing efficient land use while protecting critical areas.
- 5. Land Use and Transportation Relationship. The overlay district provides equal or greater opportunities for alternative modes of transportation (e.g., walking, bicycling, transit) than

		what would likely occur with conventional	
		zoning by:	
		<ul> <li>a. encouraging or requiring mixed use development where applicable;</li> </ul>	
		b. providing a master plan with direct	
		and convenient pedestrian and	
		bicycle connections between all land uses; and	
		c. providing for transit service where applicable.	
		6. Design Standards. The design	
		standards of Chapters 2 and 3 shall	
		apply to all development. In addition, the district shall provide, unless the SAP	
		provides development design standards	
		(see 10-2M-3C above) that are equal to or greater than the standards that would	
		be required with conventional zoning	
		(e.g., building orientation, parking, open	
		space, architectural guidelines, etc.).	
		Where SAP and Chapter 2 or Chapter 3 standards conflict, SAP standards	
		prevail. Development standards specified	
		in the SAP ordinance are binding, and	
		take precedence over standards in Chapter 2 or 3.	
		10-2M-5 Specific Area Plan Overlay Districts	
		Adopted	
		10-2M-6 Specific Area Plan Overlay District Amendment	
		SAP amendment review shall follow the	
		process for Minor and Major Modifications	
		identified in City Development Code Article 10-4F - Modifications to Approved Plans and	
		Conditions of Approval.	
	City Planning Commission	on Recommendation - Approval of Amendment ZTA-07-	0024
	P&CD Staff Recommenda	ation - Approval of Amendment ZTA-07-0024	
P&CD Staff /	Section 10-3B-2(G)(1),		3-4
File # ZTA-07-0002	Vehicular Access and Circulation	1. Local Access Streets. A minimum of	
Z1A-07-0002	Circulation	50 feet separation between driveways and a minimum of 150 feet between	
		intersections (as measured from the	
		edge of the driveway / intersection)(as	
		measured from the sides of the driveway/street, minus the width of the	
		driveway) shall be required on local	
		access streets (i.e., streets not	
		designated as collectors or arterials), except as provided in subsection 3,	
		below or unless a shared driveway, as	
		outlined in Section 10-3B-2, subsection	
		"I" below, is utilized. Single family, two-	
		family, and three-family uses may not be required to comply with the 50 foot	
		minimum separation, however	
		compliance with Section 10-3B-2,	
		subsection "K" below shall be required.	

		- F. O. W. 10	1
		a. Exception. If existing parcel	
		configuration prevents required	
		access spacing or shared	
		approaches, the access spacing may	
		be reduced, as determined by the	
		P&CD Director.	
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	'-0002
		ition - Approval of Amendment ZTA-07-0002	
P&CD Staff /	Section 10-3B-2(G)(2),	G. Access Spacing	3-5
File #	Vehicular Access and	Arterial and Collector Streets. Access	
ZTA-07-0003	Circulation	spacing on collector and arterial streets,	
		and at controlled intersections (i.e., with	
		four-way stop sign or traffic signal) shall	
		be determined based on the policies	
		and standards contained in the City's	
		Transportation Improvement Plan and	
		applicable transportation standards. A	
		minimum of 300 feet separation	
		between driveways shall be required on	
		arterial streets and a minimum of 150 feet separation between driveways shall	
		be required on collector streets. A	
		minimum of 300 feet separation	
		between intersections on arterial and	
		collector streets shall be required.	
		a. The City may require additional	
		separation between driveways or	
		intersections on arterials and	
		collectors designated as Aesthetic	
		Corridors / Boulevards on the City	
		Comprehensive Plan Land Use Map	
		to allow for landscaped medians,	
		consistent with street design and	
		traffic safety standards.	
		b. Exception. If existing parcel	
		configuration prevents required	
		access spacing or shared	
		approaches, the access spacing may	
		<u>be reduced, as determined by the</u> P&CD Director.	
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	'-0003
	P&CD Staff Recommenda	tion - Approval of Amendment ZTA-07-0003	
P&CD Staff /	10-3C-2(D & E),	D. Protection Standards. All of the following	3-13
File #	Landscape	protection standards shall apply to	
ZTA-07-0025	Conservation	significant vegetation areas within the	
		public right of way and Heritage Trees	
		identified in B above, other significant	
		vegetation should comply whenever	
		practical:	
		<ol> <li>Protection of Significant <del>Trees</del></li> </ol>	
		Vegetation - Significant trees	
		vegetation identified as meeting the	
		criteria in subsection B.1 above shall	
		be retained whenever practical, as	
		determined by P&CD. Preservation	
		may become impractical when it would	
		prevent reasonable development of	

			public streets, utilities, or land uses	
			permitted by the applicable zoning	
			district <u>and relocation of the vegetation</u> or replacement with equivalent	
			vegetation with the closest DBH for	
			trees or commercially available nursery	
			size available in the Spokane/ Coeur	
			d'Alene metro region shall be required	
			within the development or if not	
			possible, then relocated or replaced	
			within another area in the City.  2. Protection of Natural Resource /	
			Critical Areas - Natural Resource /	
			Critical Areas shall be protected in	
			conformance with the provisions of	
			Chapter 6.	
			<ol><li>Conservation Easements and</li></ol>	
			Dedications - When necessary to	
			implement the Comprehensive Plan,	
			the City may require dedication of land or recordation of a conservation	
			easement to protect specific areas,	
			including groves of significant trees or	
			Heritage Trees.	
		•	E. Construction. All areas of significant	
			vegetation shall be protected prior to,	
			during, and after construction. Grading and	
			operation of vehicles and heavy equipment is prohibited within significant vegetation	
			areas, except as approved by the City for	
			installation of utilities or streets. Such	
			approval shall only be granted after finding	
			that there is no other reasonable	
			alternative to avoid the protected area, and	
			any required mitigation is provided in conformance with Chapter 6 and	
			Subsection D above.	
	City Planning Commission	Recon	nmendation - Approval of Amendment ZTA-07	<b>'-0025</b>
	P&CD Staff Recommendat	ion - Ap	oproval of Amendment ZTA-07-0025	
City Council	Section 10-3C-3(I),	•	3. Plant Selection. A combination of	3-17
Community	New Landscaping		deciduous and evergreen trees, shrubs,	
Development			and ground covers shall be used for all	
Subcom./ File #			planted areas, unless otherwise specified above. The City shall continue to promote	
ZTA-07-0023			outstanding landscaping in retail/	
			commercial establishments by requiring	
			that landscaping contain evergreen trees	
			(pine, spruce, fir, cedar) in the landscaping	
			mix (50% of trees, minimum). The selection	
			plantings shall be based on local climate, exposure, water availability, and drainage	
			conditions, and non-native, invasive plants	
			shall be prohibited. As necessary, soils	
			shall be amended to allow for healthy plant	
			growth.	
	_		nmendation - DENIAL of Amendment ZTA-07-	0023
	P&CD Staff Recommendat	ion - Di	ENIAL of Amendment ZTA-07-0023	

continuous five (5') foot landscape border minimum. Such landscape border shall be required between any paved area and any property line, yard, or required yard. The

		landscape border may be interrupted for ingress and egress	
		to structures and adjoining lots.	
		The landscaped border shall consist of at least one (1) shade	
		tree or one (1) ornamental tree and	
		ten shrubs distributed per every 25	
		linear feet of perimeter or 1	
		evergreen tree and 5 shrubs	
		distributed per 25 linear feet of	
		perimeter.	
		b. The border between any structure and parking area, drive,	
		or other vehicular area shall be at	
		least five (5') foot wide and consist	
		of a minimum of ten (10) shrubs	
		distributed per 25 linear feet.	
		<ol><li>Perimeters Adjacent to Interstate 90.</li></ol>	
		Any perimeter adjacent to Interstate 90	
		shall provide at least a fifteen (15') wide	
		landscape border containing at least one (1) tree and ten (10) shrubs which are a	
		50/50 mix of evergreen and deciduous	
		plantings distributed per 25 linear feet-of	
		Interstate 90 frontage.	
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	'-0019
	P&CD Staff Recommenda	tion - Approval of Amendment ZTA-07-0019	
P&CD Staff /	Section 10-3C-	<ul> <li>b. Minimum Evergreen Tree Size.</li> </ul>	3-17
File #	3(I)(3)(b&c),	Evergreen trees shall be at least <u>5-6</u> feet	
ZTA-07-0004	New Landscaping	tall at time of planting <u>and have a low-</u> branching habit with dense foliage.	
		c. Minimum Shrub Size.	
		Shrubs or perennials shall be planted from	
		2 gallon containers or larger, and be at	
		least 12" tall at time of planting. Perennials	
		may be planted from 1 gallon containers if 2	
		gallon are not available.	
		n Recommendation - Approval of Amendment ZTA-07	<b>7-0004</b>
		ition - Approval of Amendment ZTA-07-0004	
P&CD Staff /	Section 10-3D-3(B)	B. Maximum Number of Parking Spaces.  The particle of Parking Spaces are sided by	3-25
File # ZTA-07-0005	Vehicle Parking Standards	The number of parking spaces provided by any particular use in ground surface	
2174-07-0003	Otandards	parking lots shall not exceed the required	
		minimum number of spaces provided	
		herein by more than 50% and when the	
		number of parking spaces does exceed the	
		minimum, additional landscaping, beyond	
		the minimum requirements in Section 10- 3C 3 above, shall be provided. Unless	
		otherwise specified, all commercial and	
		industrial uses may exceed the maximum	
		number of parking spaces in order to	
		provide .5 spaces per employee during the	
		largest shift	
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	<b>'-0005</b>
	P&CD Staff Recommenda	tion - Approval of Amendment ZTA-07-0005	

P&CD Staff / File # ZTA-07-0006	Section 10-3D-3(E) Vehicle Parking Standards	E. Parking Stall Standard Dimensions and Compact Car Parking. All parking stalls shall be improved to conform to City standards for surfacing, stormwater management, and striping, and provide dimensions in accordance with the following table. Up to 15% of the required parking may be designed and labeled as compact. Compact stalls are 1' narrower and 2' shorter than standard stalls (i.e. a 9' x 18' standard stall would be a 8' x 16' compact stall). Compact stalls shall include landscape islands as required by Article 10-3C of this Code, except they can be 9' x 16'. (Disabled person parking shall be provided in conformance with section "F".)	3-25
		n Recommendation - Approval of Amendment ZTA-07	<b>'-0006</b>
		tion - Approval of Amendment ZTA-07-0006	
P&CD Staff / File # ZTA-07-0007	Section 10-3E-3(A)(4), Prohibited Signs	<ul> <li>A. Signs Prohibited in the City</li> <li>4. Flashing or neon lighting used as an alternative to signage. <a href="Exposed neon on signs">Exposed neon on signs</a>.</li> </ul>	3-33
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	'-0007
		tion - Approval of Amendment ZTA-07-0007	
P&CD Staff / File # ZTA-07-0020	Section 10-3E-4(A), Sign Permit Requirements	<ul> <li>A. Exempt Signs. The following shall not require a sign permit provided that these exemptions shall not be construed as relieving the owner from the responsibility to comply with the provisions of this Code or any other law or ordinance, including the Building Code.  <ol> <li>Signs that are attached to buildings provided such signs are not more than four (4) sq. ft. in area and project not more than 2 inches from any building surface.</li> <li>The changing of the advertising copy or message on a lawfully erected sign, readerboard, or similar sign specifically designed for replaceable copy.</li> <li>Painting, repainting, or normal maintenance, unless a structural or electrical change is made.</li> <li>Incidental signs.</li> <li>Any sign located within a building not visible from the street or sidewalk.</li> </ol> </li> </ul>	3-34
	City Planning Commissio	6. Temporary pennants or signs for annual City events (e.g. Farmer's Market, Pavillion Park Summer Festival, Pet Day in the Park, Liberty Lake Kite Festival, Clean Green Day).  n Recommendation - Approval of Amendment ZTA-07	·-0020
		tion - Approval of Amendment ZTA-07-0020	J020
	FACD Stall Recommenda	mon - Approval of Amendment 21A-07-0020	

P&CD Staff / File # ZTA-07-0008	10-3E-8I(4), Sign Location, Setback, Area Calculations, Maintenance, and Lighting	4. The sign area of a monument sign consisting of a sign with a solid base shall be calculated as shown in Figure 6 below. The sign area of a monument sign consisting of signage within the base area shall be calculated as shown in Figure 7 below.  SIGN  AREA=AXB  BRICK BASE  FIGURE 6  FIGURE 7	3-42
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	<b>'-0008</b>
	P&CD Staff Recommenda	tion - Approval of Amendment ZTA-07-0008	
P&CD Staff / File # ZTA-07-0021	10-3F-2I, Lighting	C. Lighting Plan Submittal Requirements. The following information must be included for all submissions which include any new exterior lighting-and where site plan approval is not required, some or all of the items may be required by the Planning & Community Development Department prior to lighting installation:	3-43
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	'-0021
		tion - Approval of Amendment ZTA-07-0021	
P&CD Staff / File # ZTA-07-0009	Section 10-3F-2(G)(7), Lighting	<ul> <li>G. Exemptions.</li> <li>7. Street lights shall be designed and installed per Section 10-3G-2, subsection W of this Code.</li> </ul>	3-47
		n Recommendation - Approval of Amendment ZTA-07	′-0009
		tion - Approval of Amendment ZTA-07-0009	
P&CD Staff / File # ZTA-07-0018	Section 10-3G-2(I), Transportation Improvements	I. Sidewalks, Planter Strips, Bicycle Lanes. Sidewalks, planter strips, and bicycle lanes shall be installed in conformance with the standards in Section 10-3G-2, Section 10-3B-3, Section 10-3C-4, applicable provisions of the Transportation Improvement Plan, the Comprehensive Plan, adopted street plans, and the City of Liberty Lake Street and Stormwater Standards. Separated sidewalks with planters shall be required along both sides of streets in all new developments, unless existing sidewalks prohibit the use of separated sidewalks or physical constraints (e.g., topography) prevent construction in conformance with the standards, as determined by P&CD and additional sidewalks or pathways will be required within the development or the City. The use of urban streetscapes is encouraged in mixed use zones and designs shall be reviewed for compliance with the intent of the street tree and sidewalks, curbs, and	3-53

		planter strips is the continuing obligation of the adjacent property owner.	
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	7-0018
	P&CD Staff Recommenda	tion - Approval of Amendment ZTA-07-0018	
P&CD Staff / File # ZTA-07-0010	Section 10-3G-2(U), Transportation Improvements	U. <u>Street Signs</u> . The city, county, or state with jurisdiction shall install all signs for traffic control and street names, unless it is delegated to the developer. The cost of signs required for new development shall be the responsibility of the developer. Street name signs shall be installed at all street intersections. Stop signs and other signs may be required. <a href="Street sign posts shall be 3# U-Channel">Street sign posts shall be 3# U-Channel</a> , 2 Piece Breakaway. Alternative proposals may be considered by the Director.	3-54
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	7-0010
	P&CD Staff Recommenda	ition - Approval of Amendment ZTA-07-0010	
P&CD Staff / File # ZTA-07-0011	Section 10-3G-2(W), Transportation Improvements	W. Street Light Standards. Street lights shall be installed in accordance with City standards for all new development by the developer / applicant to encourage a pedestrian friendly environment and enhance community safety and business exposure. Final lighting fixture selection and location shall be made by the City based on developer / applicant proposals. The developer / applicant should coordinate with Avista Utilities for style / fixture selection. All street light electrical installations including wiring, conduit, and power connections shall be located underground. A plan shall be provided showing the proposed fixture types and locations along with light fixture specification sheets and each fixture shall be equipped with a photocell. Current AASHTO Roadway Lighting Design Guidelines, or equivalent guidelines shall be utilized.	3-54
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	 7-0011
		tion - Approval of Amendment ZTA-07-0011	
P&CD Staff / File # ZTA-07-0012	Section 10-4B-5, Type IV Projects	10-4B-5 Type IV Projects     Planning is an ongoing process, and improved data or changing circumstances will require amendment to the comprehensive plan or development regulations. Amendments to the comprehensive plan or development regulations can be requested by the City Council, Planning Commission, City Staff, or by any affected citizen on a yearly basis. Yearly review of proposed amendments shall begin in July and should conclude in December. Applications for amendments shall be submitted by July 31st-1st of each year in order for the amendment to be	4-22

P&CD Staff /		reviewed that year. Applications for amendments submitted after July 31st 1st shall be reviewed the following year. Identified deficiencies shall be docketed for possible future plan or development regulation amendments during the project review process.  n Recommendation - Approval of Amendment ZTA-07tion - Approval of Amendment ZTA-07-0012  • H. The approval shall lapse, and a new	<b>7-0012</b>
File # ZTA-07-0013	Design Review Approval Criteria	application shall be required, if a permit has not been issued within one yearsix (6) months of site design review approval, or if development of the site is in violation of the approved plan or other applicable codes, in accordance with Section 10-4C-6, subsection B of this Code.	7 20
		n Recommendation - Approval of Amendment ZTA-07 tion - Approval of Amendment ZTA-07-0013	<b>'-0013</b>
P&CD Staff / File # ZTA-07-0014	Section 10-4C-5(A-D), Bonding and Assurances	<ul> <li>A. Performance Bonds for Site Improvements. On all projects where site project related improvements are required, the City shall require a bond in an amount not greater than 120150% (includes 20% administrative cost) or other adequate assurances as a condition of site development approval in order to guarantee the site improvements.</li> <li>B. Warranty Bond. Additional bonding or assurance shall be required for all improvements within the public right-ofway, including landscaping, as well as swales which serve the right-of-way for a period of 2 years after improvements are completed in an amount equal to 20% of the construction cost or \$10,000, whichever is greater. The P&amp;CD Director may reduce the bond amount for projects valued at less than \$20,000. The warranty bond must be</li> </ul>	4-29
		<ul> <li>than \$20,000. The warranty bond must be posted prior to the release of any performance bonds, in conformance with the City Development Code and City Street Standards.</li> <li>C. Release of Performance Bonds. The bond or assurance shall be released when the P&amp;CD Director finds the completed project conforms to the site development approval, including all conditions of approval.</li> <li>D. Release of Warranty Bonds. The bond or assurance shall be released after the 2 year period when the P&amp;CD Director finds that any noted deficiencies have been repaired or replaced, in conformance with the City Development Code and City Street Standards.</li> </ul>	

		ED. Completion of Landscape Installation.  Landscaping shall be installed prior to	
		Landscaping shall be installed prior to issuance of occupancy permits, unless	
		security equal to 420150% of the cost of	
		the landscaping as determined by the P&CD Director or a licensed landscape	
		architect is filed with the City assuring such	
		installation within six months after	
		occupancy. If the installation of the landscaping is not completed within the six-	
		month period, the security may be used by	
		the City to complete the installation.	
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	-0014
		tion - Approval of Amendment ZTA-07-0014	
P&CD Staff / File #	Section 10-4D-7(A), Submissions and	A. Submission Requirements. Final plats,  PSDs, and short plate shall be reviewed.	4-47
ZTA-07-0015	Approval Criteria: Final	BSPs, and short plats shall be reviewed and approved by the City prior to recording	
	Plat, BSP, and Short	with Spokane County. The applicant shall	
	Plat	submit the final plat, BSP, or short plat	
		within 5 years of the approval of the	
		preliminary plat, BSP, or short plat, as provided by Section 10-4D-3 above.	
		1. Six (6) copies of the final plat, BSP,	
		or short plat map and one (1) reduced	
		11x17 copy shall be submitted in a	
		format acceptable to the Spokane	
		County Auditor and shall include the items required under subsection B,	
		Approval Criteria, below.	
		2. Additionally, fFour (4) copies of the	
		street, grading, and drainage plans	
		shall be submitted. and Civil plans shall include City Street Standards submittal	
		requirements, as well as street trees	
		located and selected in accordance	
		with Section 10-3C-4 of this Code,	
		street signs located and selected in accordance with Section 10-3G-2,	
		subsection U of this Code and the City	
		Street Standards, and street lighting	
		located and selected in accordance	
		with Section 10-3G-2, subsection W of	
		this Code.  3. If required by the Planning &	
		Community Development Director, a	
		geotechnical letter shall be supplied	
		that lists the soil types within the	
		development site and provides a schematic map identifying soil type	
		areas. The letter must be prepared by	
		a qualified engineer.	
		4. tThe sewer and water plan mylar	
		shall be submitted for P&CD review and signature.	
		All final plats, BSPs, and short plats shall	
		comply with RCW 58.17 or other applicable	
		state laws or this Code.	
	City Planning Commissio	n Recommendation - Approval of Amendment ZTA-07	-0015

PRECD Staff / File # C(0)&(D), Nonconforming Development  • Where a structure exists at the effective date of adoption or amendment of this Code that could not be built under the terms of this Code that could not be built under the terms of this Code that could not be built under the terms of this Code that could not be built under the terms of this Code that could not be built under on the requirements on the requirements concerning the structure, and the structure was lawfull when constructed, the structure was remain on the site so long as it remains otherwise lawful, subject to the following provisions (signage shall be ensidered structures for the purpose of determining non-conformity) Previously built structures (including signs) that do not conform to the current codes may remain, provided that the structure was originally constructed and remains in conformity with the then existing codes, subject to the following provisions:  A. No such nonconforming structure may be enlarged or altered in a way which increases its nonconformity, but any structure or portion thereof may be enlarged or altered in a way that satisfies the current requirements of the Development Code is not practical, as determined by the Planning & Community Development DirectorNonconforming structures may not be altered in such a manner that would increase their nonconformity under the current code, Except for freestanding and monument signs, nonconforming structures may be changed in a manner that satisfies the current Development Code requirements or decreases the nonconformity to those requirements. Where it is determined that implementation of the current code is impractical, the applicability of the code requirements shall be determined by the Planning & Community Development
Director; B. Should such nonconforming structure or nonconforming portion of structure be destroyed by any means to an extent more than 50 percent of its replacement cost, as determined by the building code, it shall be reconstructed only in conformity with the Development Code unless compliance with this Development Code is not practical, as determined by the Planning & Community Development Director; and C. Should such structure be moved or signage removed for any reason and by any distance, it shall thereafter conform to

D. Conforming uses may continue to operate in a non-conforming structure as long as the provisions above are met.
E. Nonconforming signs must also comply with the Development Code if one of the following trigger events occurs:  1. A change in business use; or 2. Abandonment or neglect for greater than 120 days, as determined by the
P&CD Director.
City Planning Commission Recommendation - Approval of Amendment ZTA-07-0016
P&CD Staff Recommendation - Approval of Amendment ZTA-07-0016

Information is subject to change without notice